



FRONT VIEW

SECTION A-A



TOP VIEW



RAINSMART ELLIPSE SINGLE TANK MODULE

NOTES:

CONCEPT DRAWING ONLY

1. ALL STORAGE TANK DRAINAGE WORKS SHALL BE CARRIED OUT IN ACCORDANCE WITH THE SPECIFICATIONS, METHOD STATEMENTS AND RECOMMENDATIONS OF RAINSMART SOLUTIONS.
2. ALL LEVELS AND DIMENSIONS SHALL BE VERIFIED ON SITE PRIOR TO THE COMMENCEMENT OF ANY WORKS. ANY DISCREPANCIES SHALL IMMEDIATELY BE BROUGHT TO THE ATTENTION OF THE ENGINEER.
3. WE RECOMMEND THE USE OF A SILT FILTER TRAP ON ALL SOAKAWAYS. REFER TO THE SEQUENCE OF WORK DOCUMENT FOR DETAILED INSTALLATION METHODOLOGY.

TAPE GEOTEXTILE AROUND PIPE
"USE DUCT TAPE OR PIPE CLAMP TO SECURE THE GEOTEXTILE TO THE INLET PIPE, TO PREVENT ANY INGRESS OF BACKFILL MATERIALS"

NO.	DATE	BY	REVISION
01	19-AUG-09	BDM	ORIGINAL

TITLE

1 CUBIC METRE
SOAKAWAY
SHALLOW DIG
OPTION-2
ELLIPSE SINGLE
TANK MODULE
90003FV2

DRAWN BY LOGAN

CHECKED BY

DRAWING NO.:

RS-EL-UK-003

SHEET

1 OF 1

ALL DIMENSIONS ARE IN mm.